

# deburring system

## UNIVERSAL HANDY CHUCK HOLDER

PV1000

Aluminum handle with non slip covering.

A 3 jaw chuck helps with the quick and secure clamping of a wide variety of tools, blades and blade holders such as scrapers, countersinks, files etc.



Hardness 58HRC.




## SOFT GRIP SG1000

Ergonomically held handle. Two holes accepts both S and N blades.

**Includes:** SG handle, S100 and N10 cobalt blades.



TO INSERT BLADE:




1. Hold handle in left hand and blade in right hand.
2. Push blade in and turn clockwise simultaneously.

TO REMOVE BLADE: Repeat as above but pull out.

## LIZA BURR LB1000

Double end blade holder to utilize both N and S blades. Telescopes from 20-110mm with N blades. 20-94mm with S blades.

**Includes:** Uni-handle, SN holder, N1 and N2 blades.








## LEADER NG3800

Chamfering straight or curved edges. Ensures 45° chamfering.

**Includes:** NG-3 handle, LD holder and L1 blade.





# SPECIALTY TOOLS

## NOGA SLOT CLEANER NG3210

Used to relieve corners of narrow slots from 3.5mm. Includes: NG-3 handle, L holder and L5 blade. (L7 double end blade for cutting in two directions is also available)



## NOGA MINI CUT NG3220

Used for deburring small ridges in difficult to reach places. Range: 0-2.5mm. Includes: NG-3 handle, L holder and L4 blade.



## NOGA CORNER CLEANER NG3230

Effective corner relief. Wide range of applications. Includes: NG-3 handle, L holder and L6 blade.



## THREAD CLEANER NG1600

For cleaning damaged internal threads. Minimum Dia. 9mm. Maximum thread pitch 3mm. Includes: NG-1 handle and TC blade (See page 19).



# deburring system

## PLASTIC RAPID BURR RB1400

Holds all S blades  
(3.2mm). The blade is  
replaceable.

**Includes:** plastic handle  
and S100 blade.



## PLASTIC EDGE OFF EO2000

Most competitive tool.  
Holds all S blades  
(3.2mm). The blade is  
replaceable.

**Includes:** plastic handle  
and S10 blade.



## PLASTIC REAMER SP8100

Deburr both inside and  
outside edges of tube.  
Made of plastic body.  
Have 3 cutters.  
Reamer for aluminum,  
brass and copper tubing.  
Range: 4-42mm.



## NOGA TRIO RB3000

### Standard set

**Includes:**

RB handle + ■ S20 blade,  
red sleeve (brass & cast iron)

RB handle + ■ S100 blade,  
blue sleeve  
(steel & aluminium)

RB handle + ■ S150 extra  
fine blade, yellow sleeve  
(plastic)

Pack dimensions:  
175 x 50 x 20mm

