



HORIZONTAL ROTATIONAL SERIES







HORIZONTAL SERIES FOR HIGH TEMPERATURES


Material: Phosphated steel Riveted pivots: Phosphated steel Supporting bushes: Hardened and ground steel.

Performance: With eye bolt clamping lever for inserting the spindle. **Spindles:** To be ordered separately (see Accessories on page 76).

Features and applications:

The tools of this series are generally used in rotational forging, as it is able to operate at high temperatures (240-300°C).

This is made possible thanks to their finish, the interposition of special copper grease between the parts and appropriate tolerances between the couplings.



| Code | Description | A | B | c | D | E | F | G | H | I | M | N | P | Q | Fh1 (daN) | gr. ⊥⊥ |
|-------|-------------|-------|------|------|------|----|----|-----------|----|---|----|-----|------|-----|-----------|-----------|
| AR145 | 130/OR | 165 | 51 | 30.5 | 50 | 40 | 36 | 22.4-28.4 | 26 | 5 | 16 | 2.5 | 6.5 | 5.6 | 100 | 185 |
| AR280 | 230/OR | 190 | 61.5 | 36.5 | 56 | 44 | 44 | 26-31.5 | 26 | 6 | 18 | 3 | 8.5 | 6.6 | 170 | 300 |
| AR380 | 355/OR 2 | 260.5 | 83 | 50 | 89.5 | 58 | 60 | 38.8-43 | 41 | 7 | 22 | 3.5 | 10.5 | 8.6 | 180 | 700 |

